

Obsolete

# Onon

# Parts Manual

B43M-GA016 Industrial Engines






965-0254 11-88 (Spec A-C) Replaces 5-85 (Spec A-C) Printed in U.S.A.

### **General Information**

For parts or service, contact the dealer from whom you purchased this equipment or refer to your Nearest Authorized Onan Parts and Service Center.

To avoid errors or delay in filling your parts order, always give the MODEL, SPEC NO. and SERIAL NO. from the Onan nameplate.



#### Index

Adapter, Clutch 46
Adapter, Exhaust (Flange Type) 49
Adapter, Governor Arm 26,34
Adapter, Oil Filter 36,41
Air Cleaner-Remote 45
Ammeter 34,35 Housing, Air Cleaner Housing, Blower 18 Housing, Cylinder 18 Housing, Starter 21,38 Kit, Adapter - Remote Air Cleaner Kit, Alternator Connector 23,24 Arm, Governor Control 25 Armature, Starter 21,37,38 Kit, Clutch 46 Kit, Fuel Tank 33 Kit, Gasket - Engine 4
Kit, Repair - Carburetor 16,28,31,32 Baffle, Breather Valve 4 Ball, Governor 11 Base, Oil 8 Kit, Repair - Starter 21,38 Kit, Tuneup - Ignition 20,42 Base, Remote Oil Filter 36 Bearing, Camshaft 4
Bearing, Crankshaft 4
Block, Cylinder 4
Block, Terminal (4 Place) 43
Box, Breaker 19,20,42 Lever, Choke 47 Lever, Throttle Control 34,35 Line, Fuel - Gasoline 33 Line, Oil - Flexible 34,35 Bracket, Governor Control 12,26 Bracket, Lifting 48 Manifold, Exhaust 49
Manifold, Intake 14 Brush, Ground-Starter 21,37,38 Muffler, Exhaust 49 Cable, Choke 34,35 Cable, Spark Plug 19,44 Camshaft 11 Numerical Index 50,51,52,53 Panel, Control 34,35 Pipe, Exhaust 49 Cap; Fuel Tank 33 Carburetor Components (Gasoline) 16,28,31,32 Carburetor, Gasoline 14,27 Piston Plate, Bearing - Rear 4
Plug, Spark 19,44
Pump, Fuel-Electric (Gasoline) Carburetor, Gasoline 14,27 Clamp, Muffler 49 Coil, Ignition 19,44 Condenser, Ignition 20,42 Cover, Air-Cleaner 14,48 Cover, Breaker Box 20,42 Cover, Dust-Starter 21,38 Cover, Valve 4 Pump, Fuel-Vacuum (Gasoline) 27,30 Pump, Oil 8 Regulator, Voltage 23,24 Relay, Start Solenoid 21,37,38 Ring, Piston 6 Crankshaft 10 Rod, Connecting 6
Rod, Control-Governor 12,25 Drain, Oil Filter 41 Element, Air Cleaner 14 Seal, Oil 4,7 Seat, Valve 4 Extension, Governor Arm 35 Sender, Oil Pressure (Electric) Filter, Breather Tube 14,45 Filter, 0il 41,48 Spring, Governor 12,25,26,34,35 Starter 21,38 Flywheel 10 Starter Components 21,37,38 Starter, Recoil 39 Stator 23,24,44 Strap, Fuel Tank 33 Gasket, Breaker Box 19,20,42 Gasket, Cylinder Head 4
Gasket, Exhaust Adapter
Gasket, Oil Base 8 Switch, Ignition 34,35 Switch, Pressure-Oil 48 Gasket, Valve Cover 4
Gauge, Oil Pressure 34,35
Gear, Camshaft 11 Tank, Fuel 33,48 Tappet, Valve 4 Gear, Crankshaft 10 Gear, Ring 10 Gearcase 7 Tube, Air Intake 14,48 Tube, Breather 14,45 Gearcase 7 Governor 12,25,26 Tube, Oil 4
Tube, Vacuum Port 7,27 Guard, Flywheel 10,48 Harness, Wiring 35
Head, Cylinder 4
Holder, Brush 21,38
Hose, Fuel 27 Valve, Exhaust 4
Valve, Intake 4
Valve, Shut-Off 33 Hose, Vacuum 14,27 Housing, Air 18 Wrapper, Filter Element 48

#### Introduction

This catalog applies to the Standard B43M-GA016 Engines. Parts are arranged in groups of related items. Each illustrated part is identified by a reference number corresponding to the same reference number in the parts list for that group. Parts illustrations are typical. Using the MODEL and SPEC NO. from the nameplate, select the Parts that apply to your engine. Unless otherwise mentioned in the description, parts are interchangeable between models. Right and left sides are determined by facing the blower end (front) of the engine.

#### WARNING

This engine is not designed or intended for use in any type of aircraft. Use of this engine in aircraft may result in engine failure and cause serious bodily injury, death and/or property damage.

#### NOTICE!


Items referenced as **optional** indicate part is factory installed and may not be applicable to all models. For field conversions additional parts are usually required.

.

.

.


3



# Cylinder Block


REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
1			Block Assembly, Cylinder (All Replacement Cylinder Block	17 18	110-0068	2	*Gasket Intake Valve Guide Vacuum Port
			Assemblies Use Intake Valve	10	149-1299	1	Tube - Early Models
			Seals and Include Parts Marked *)		517-0120	1	Plug, Breather Hole – Later Models
	110-3148	1	Engines with Standard Rear	19	850-0050	5	*Washer, Lock - Spring (3/8")
	110 2151	1	Bearing Plate		516-0141 123-1175	2 1	*Pin, Gear Cover Alignment Reed, Breather Valve
	110-3151	1	Engines with 4 Boss Bearing Plate	21 22	123-1173	1	Baffle, Breather Valve
	110-3154	1	Engines with SAE A or SAE B	23	123-1174	1	Spring, Breather Valve
			Rear Bearing Plate (Does	24	110-1879	1	Cover, Valve - RH
			Not Include Rear Bearing	25 26	110-2274	1 3	Cover, Valve - LH Gasket, Valve Cover
2	517-0048	1	Plate) *Plug, Welch (1-5/8") Camshaft	26 27	110-1921	3	Tappet, Valve Cover
2	011 0040	_	Opening	2.	115-0006	4	Standard
3	800-0051	5	*Screw, Cap - Hex Head		115-0006-02	4	.002" Oversize
			$(3/8-16 \times 1-1/4")$		115-0006-05	4	.005" Oversize
4	104-0776	AR	*Shim, Crankshaft End Play	28 29	110-2368 110-1955	2 2	Valve, Intake Valve, Exhaust
5			(.005") Bearing, Crankshaft - Rear	30	800-0010	.2	Screw, Cap - Hex Head
Ŭ			(Includes Thrust Washer)	•		-	$(1/4-20 \times 1-3/4")$
	101-0450	1	*Standard	31	110-0539	4	Spring, Valve
	101-0450-02	1	.002" Undersize		110-0639	8	Lock, Valve Spring
	101-0450-10 101-0450-20	1 1	.010" Undersize .020" Undersize	33	509-0168	2	Seal, Valve - Intake (Optional)
	101-0450-20	1	.030" Undersize	34	803-0071	2	Screw, Socket - Set
6	104-0575	2	*Washer, Thrust				$(3/8-16 \times 5/8")$
7	101-0415	1	*Gasket, Bearing Plate	36			Gasket, Cylinder Head
8	101 0400	4	Plate, Bearing - Rear		110-2287	2	Standard
	101-0439 101-0551	1 1	*Standard Optional - 4 Boss	37	110-3181	2	Optional (Graphoil) Head, Cylinder
-	101-0430	ī	Optional - SAE B	•	110-2564	1	Right Side - Spec A
	101-0437	1	Optional - SAE A		110-2563	1	Left Side - Spec A
	101-0405	2	*Bearing, Camshaft		110-2561	1	Left Side - Begin Spec B
10 11	509-0041 516-0072	- 1 - 4	Seal, Oil - Crankshaft Rear *Pin, Drive - Bearing Stop	38	110-2562 110-0904	1 4	Right Side - Begin Spec B Roto Cap - Valve
12	120-0735	1	*Tube, Oil - Cylinder Block	39		i	Washer, Flat (1/4" Screw)
13		_	Insert, Valve Seat - Exhaust	40	526-0122	18	Washer, Flat (5/16" Screw)
	110-1824	2	*Standard	41		10	Screw, Cap - Hex Head (Special)
	110-1824-02	2	.002" Oversize .005" Oversize		800-0540 800-0571	12 6	5/16-18 x 1-5/8" 2" Long
	110-1824-05 110-1824-10	2	.010" Oversize	42	526-0063	2	Washer, Flat - Copper
	110-1824-25	2 .	.025" Oversize		020 0000	_	(1/4" Screw)
14			Insert, Valve Seat - Intake	43		1	Plug, Core Hole
	110-0197	2	*Standard	44	110-0893	2	Washer, Intake Valve Spring Retainer (Optional)
	110-0197-02 110-0197-05	2 2	.002" Oversize .005" Oversize	45			Kit, Gasket
	110-0197-10	2	.010" Oversize	,,,	168-0140	1 .	Valve Grind/Carbon Removal
	110-0197-25	2	.025" Oversize				(Standard Head Gaskets)
15			Bearing, Crankshaft - Front		168-0183	1	Valve Grind/Carbon Removal
	101-0432	1	Flanged ' *Standard		168-0153	1	(Graphoil Head Gaskets) Gasket Kit, Complete
	101-0432-02	1	.002" Undersize		100 0100	-	(Standard Head Gaskets)
	101-0432-10	1	.010" Undersize		168-0182	1	Gasket Kit, Complete
	101-0432-20	1	.020" Undersize				(Graphoil Head Gaskets)
16	101-0432-30	1	.030" Undersize Guide, Valve				· ·
10			Engines w/o Intake Valve	* -	Parts Includ	ded in	the Cylinder Block Assembly.
	•		Seals				•
	110-1807	2	Intake				
	110-1807	2	Exhaust Engines with Intake Valve				
			Seals				
	110-1807	2	*Exhaust				
	110-3161	2	*Intake				

# Piston and Rod




REF NO.	PART NO.	QTY USED	PART DESCRIPTION		REF NO.	PART NO.	QTY USED	PART DESCRIPTION	
1			Piston and Pin (Ind	ludes	. 5	-		Rod, Connecting (Inc.	ìudes
_			Retaining Rings)		-	\$	**.	Bolt and Nut)	-
	112-0186	2	Standard	*.	•	114-0300	2	Standard	
	112-0186-05	2	.005" Oversize	= *	-	114-0300-10	2	.010" Undersize	
	112-0186-10	. 2	.010" Oversize	-	:	114-0300-20	2	.020" Undersize	-
	112-0186-20	2 .	.020" Oversize			114-0300-30	2.	.030" Undersize	(- ( 7)
	112-0186-30	2	.030" Oversize		6.	114-0240	4	Bolt, Connecting Rod	
	112-0186-40	2	.040" Oversize		7	870-0302	4	Nut, Hex - Crown Loc	K _
2	112-0229	2	Pin, Piston					(5/16-24)	
3	518-0311	4	Ring, Retaining	-					
4			Ring Set, Piston						
	113-0189	2	Standard						
	113-0189-05	. 2	.005" Oversize						-
	113-0189-10	2	010" Oversize	-					
	113-0189-20	2	.020" Oversize	-				*	
	113-0189-30	2	.030" Oversize	:					
	112 0100 40:		040" Oversize				٠.		

## Gearcase



REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
1	103-0738	1	Gearcase Assembly (Includes Parts Marked *)	9 10	509-0040 103-0408	1	*Seal, Oil - Crankshaft Gasket, Gearcase Mounting
2	510-0105	1	*Bearing, Governor Shaft	11	103 0406	1	Screw, Cap - Hex Head
3	150-1470	1	*Shaft and Arm, Governor		800-0032	4	5/16-18 × 1-3/4"
4	150-1187	ī	*Yoke, Governor Shaft		800-0545	1	$5/16-18 \times 2-3/4$ " (Special)
5	815-0046	2	*Screw, Machine - Pan Head (#8-32 x 3/8")	12	526-0065	5	Washer, Flat - Copper (5/16" Screw)
6	516-0130	1	*Pin, Dowel - Governor Cup	13	149-1299	1	*Tube, Vacuum Port
•			Stop	16	503-0301	1	*Clamp, Vacuum Port Cap
7	509-0008	1	*Seal, Oil - Governor Shaft	17	149-1321	1	*Cap, Vacuum Port
8	510-0014	1	*Ball, Bearing - Governor Shaft				•


<sup>\* -</sup> Parts Included in 103-0738 Gearcase Assembly.



# Oil System


REF NO.	PART NO	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
. 1	120-0491	1	Pump, Oil (Components Not	13	102-1200	1	Gasket, Oil Base
	.=== = ===		Sold Separately)	14	850-0050	4	Washer, Lock - Spring (3/8")
2	120-0161	1	Gasket Kit, Oil Pump	15	800-0056	4	Screw, Cap - Hex Head
3	850-0040	2	Washer, Lock Spring (1/4")				$(3/8-16 \times 2-1/2")$
4 -	800-0007	. 2	Screw, Cap - Hex Head	16	123-1292	1	Cap and Indicator, Oil Fill
			$(1/4-20 \times 1")$	17	509-0142	1	Gasket, Oil Fill Cap ("O" Ring)
5	120-0713	1	Cup, Intake - Oil Pump	18	505-0937	2	Plug, Pressure - Socket Head
6	801-0050	1	Screw, Cap - Hex Head			•	(3/8")
			$(3/8-24 \times 1")$	19	122-0375	1	Gasket, Oil Filter Adapter
7	526-0066	√1	Washer, Flat - Copper	20	122-0438	1	Cover, Oil Filter Pad -
			(3/8" Screw)				Optional
8	120-0140	1	Spring, Bypass Valve	21	526~0065	· 2	Washer, Flat - Copper
9	120-0398	1	Plunger, Bypass Valve		'		(5/16" Screw)
10	505-0057	1	Plug, Pipe	22	800-0028	2	Screw, Cap - Hex Head
11	102-0850	1	Base, Oil				(5/16-18 × 1")
12	505-0056	2	Plug, Pipe - Oil Drain (1/2")				

## Crankshaft and Flywheel



REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
1	104-0170	1	Screw, Cap - Hex Head		518-0014	1	Ring, Retaiming
			(Special)	11	104-0043	1	Washer, Gear Retaining
2	850-0055	1	Washer, Lock - Spring (7/16")				(Special)
3	526-0017	1	Washer, Flat (7/16" Screw)	12	104-0032	1	Gear, Crankshaft
4	815-0400	3	Screw, Machine - Truss Head	13			Key, Flywheel
			$(1/4-20 \times 1/2")$		515-0263	1	°*Kit, Woodruff
5	821-0014	4	Screw, Cap - Hex Head Locking		515-0284	1	+1.31" Long
			$(5/16-18 \times 1/2")$		515-0001	1 °-	+*Key, Cranksĥaft Gear
6	134-3920	1	Guard, Flywheel		515-0103	1	*Key, Crankshaft Stub
7	104-0779	1	Gear, Ring		515-0198	.1	+Key, Crankshaft Stub
8			_Flywheel (Includes Ring Gear) -	17	192-0398	-1	Sheave, Rope - Engines with
	134-3871	1	Without Imbalance Weight	*			Magneto Ignition
	134-4734	1	With Imbalance Weight -	18	821-0016	4	Screw, Cap - Hex Washer Head
			Hi Flo (Identify by 1/2"				$(5/16-18" \times 3/4")$
			Drilled Holes on Backside	19:			PTO Shaft (2" Pilot)
	÷		of Flywheel)		190-0546	1	1-7/16" Diameter
	160-1301	1	Engines with Magneto		190-0687	1	1" Diameter
			Ignition - Electric Start	. 20			Kit, Shaft
			- Hi Flo		190-0577	1	Front PTO, 1-7/16" Diameter
	160-1307	1	Engines with Magneto		541-0222	1	PTO, 1" Diameter
			Ignition - Recoil Start -	21	515-0007	1	Key, Machine $(1/4 \times 2")$
			Hi Flo	22	104-1694	1	+Spacer, Crankshaft
9			Crankshaft	23	515-0146	1	+Key, Woodruff - #18
	104-1328	1	1-1/8" Dia. Stub x 2.54" Lg.				$(1/4 \times 1 - 1/8")$
			(Includes Parts Marked *)				
	104-1699	. 1	1-7/32" Dia. Stub x 3.058"				
			Lg. (Includes Parts Marked +	) • -	Parts Include	ed in	104-1432 Crankshaft Kit.
	104-1432	1	Taper Stub (Includes Parts				104-1350 Crankshaft Kit.
			Marked )				104-1328 Crankshaft Kit.
	104-1330	1	1.125" Dia. Stub x 3.776" Lg.		-		


### Camshaft




C-1084

REF	PART	QTY	PART	REF	PART	QTY	PART
NO.	NO.	USED	DESCRIPTION	NO.	NO.	USED	DESCRIPTION
1 2 3 4	150-0078 150-1519 150-1520 510-0015 510-0015	1 1 1 5 10	Ring, Retaining Hub, Governor Cup Cup, Governor Ball, Governor 5 Ball Governor 10 Ball Governor	7 8 9 10 11	105-0332 105-0541 150-0075 515-0001 105-0402	1 1 1 1	Gear Assembly, Camshaft (Includes Plate and Spacer) Washer, Thrust (Special) Pin, Center Key, Woodruff - Camshaft Gear Camshaft (Includes Center Pin)

#### Governor




REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF	PART NO.	QTY USED	PART DESCRIPTION
1	150-1433	1	Bracket, Governor Control	5	870-0278	1	Clip, Retaining - Control Rod
$\bar{2}$	150-0694	ī	Stud, Adjusting	6	518-0004	$\bar{1}$	Clip, Retaining - Control Rod
3	821-0010	2	Screw, Cap - Hex Head Locking	7	150-1350	1	Rod, Control
			$(1/4-20 \times 1/2")$	. 8	870-0131	.1	Nut, Governor Adjusting
4	150-1214	1	Spring, Governor				



## Fuel System

١.	REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
	1	865-0020	1	Nut, Wing (1/4-20)	19			Manifold, Intake
	2	140-1168	1	Cover, Air Cleaner		154-2206	1	Models Without Vacuum Switch
	3	148-0367	1	Switch, Vacuum (Optional)		154-2339	1	Models With Vacuum Switch
	4	140-1216	1	Filter, Air (Paper)	20	850-0040	2	Washer, Lock - Spring (1/4")
	5 .	815-0463	3	Screw, Machine - Slotted Head $(#10-32 \times 3/8")$	21	800-0023	2	Screw, Cap - Hex Head (1/4-20 x 1-3/8")
	6	140-1213	1	Housing, Air Cleaner	22	800-0033	. 4	Screw, Cap - Hex Head
	7	800-0003	2	Screw, Cap - Hex Head				$(5/16-18 \times 2")$
				$(1/4-20 \times 1/2")$	23	850-0045	. 4	Washer, Lock - Spring (5/16")
	8	853-0013	3	Washer, Lock - ET (1/4")	24	154-1744	. 2	Gasket, Manifold to Block
	9	862-0001	2	Nut, Hex (1/4-20)	25	140-1313	1	Support, Air Cleaner - Front
	10	140-1198	1	Support, Air Cleaner (4.4" Lg)				(2.37" Lg)
	11	140-1549	1	Tube, Air Intake	26	503-0707	1	Hose, Vacuum Port Tube
	12	518-0328	2	Clip, Cable			-	(1/4" ID)
	13	140-1215	1	*Gasket, Air Cleaner to	27	503-0731	1	*Clamp, Loop
			-	Carburetor	28	870-0257	1	Nut, Hex - Selflock (5/16-18)
	14	123-1277	1	Tube, Crankcase Breather	29	332-0941	1	Tie, Breather Tube
	15	142-0660	1	Carburetor Assembly (See	30	502-0020	1	Elbow, Street
		_ ,		Separate Page for Components)	31	502-0815	1	Nipple, Hex - Restricted
		*		(Includes Mounting Gasket) (Includes Parts Marked *)	32	336-8464	1	Lead, Vacuum Switch to Oil Pressure Switch (18")
	16	123-1417	1	Filter, Breather Tube				
	17	149-1321	1	*Cap, Fuel Outlet				
	18	145-0438	1	*Gasket, Carburetor Mounting	* -	Parts Inc	luded in	142-0660 Carburetor Kit Assembly.




# Carburetor (With Integral Fuel Pump) Components (142-0660)

REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
	142-0660	1	Carburetor, Complete (With	11	142-0540	2	Screw, Pump Cover to Body
	·		Integral Fuel Pump)	12	142-0541	1	†Gasket, Pump Cover
	142-0571	1	*Gasket Set (Includes Parts	13	142-0542	1	†Gasket, Inlet Plate
			Marked †)	14	142-0572	1	†Gasket, Carburetor Body
	142-0570	1	Repair Kit (Includes Parts	15	142-0555	1	†Diaphragm, Fuel Pump
			Marked *)	16	142-0544	1	Spring, Throttle Stop
		1	Body, Lower - Not Sold	17	142-0282	1	*Spring, Idle Needle
		_	Separately	18	142-0545	1	*Spring, Fuel Pump
2		1	Body, Upper - Not Sold	19	142-0546	1	Fly, Choke
-		-	Separately	20	146-0380	1	Float Assembly
3	142-0534	1	*Shaft, Throttle	21	142-0548	1	*Shaft, Float
4	142-0535	1	t"O" Ring, Throttle Shaft Seal	22	142-0016	1	*Needle, Idle
5	142-0536	1	Shaft, Choke	23	142-0549	1	Needle, Power
6	142-0537	1	*Valve Assembly, Reed Fuel	24	142-0550	1 .	t"O" Ring, Seal - Power Needle
•		_	Pump	25	142-0551	1	Cover, Pump
7	142-0538	1	Fly, Throttle	26	142-0552	1	*Plate, Drive - Fuel Pump
8	142-0064	1	Screw, Throttle Stop	27	142-0553	1	*Valve, Assembly, Float
9	142-0334	4	*Screw, Fly to Shaft	28	142-0554	1	Clip, Retaining - Float Valve
10	142-0539	4	*Screw, Upper to Lower Body	29	146-0379	1.	Spring, Float Assist


<sup>† -</sup> Parts Included in 142-0571 Gasket Set. \* - Parts Included in 142-0570 Repair Kit.

### Air Housing




REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
1			Housing, Blower	5	815-0290	4	Screw, Cap - Hex Head
	134-4430	1	Sets Without Oil Filter				$(1/4-20 \times 5/8")$
	134-4400	1.	Sets With Oil Filter	6	526-0021	4	Washer, Flat (1/4" Screw)
2	815-0261	3	Screw, Cap - Hex Head (1/4-20 x 7/16")	7	134-3582	1	Baffle, Cylinder Head - Right Side
3	134-4371	1	Housing, Cylinder Air - Left Side	. 8	134-3583	. 1	Baffle, Cylinder Head - Left Side
4			Housing, Cylinder Air (Right. Side)				
	134-3400	1	Use Sets without Oil Filter - Free Flo				
	134-3518	1	Use Sets with Oil Filter ~ Free Flo				

# Ignition



REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
1	160-1303	1	Box Assembly, Breaker (See	8	167-1602	2	Cable, Spark Plug
			Separate Page for Components)	9	167-0298	2	Plug, Spark
	1.0		(Includes Mounting Gasket)	10	503-0311	1	Clamp, Coil
2	160-1150	. 1	Gasket, Breaker Box Mounting	11	336-2378	1	Lead, Breaker Box to Coil
3	850-0038	. 2	Washer, Lock - Spring (1/4")	12	166-0554	2 .	Nut, Hex (Special)
4	802-0034	. 2	Screw, Socket Head (1/4-20 x	13	850-2005	2	Washer, Lock - Spring (Metric)
			3/4")	14	166-0614	2 .	Bushing, Rubber (Inside of
5	160-1151	1	Plunger, Breaker Points				Cap 166-0604)
6	166-0772	1	Coil, Ignition				
7	166-0604	. 2	Cap, Coil Terminal (Part of Coil)				


#### Breaker Box



REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
	,			<i>:</i> -			- 1
	160-1303	1	Breaker Box (Includes Parts Marked *)	8	802-0034	2	*Screw, Cap - Socket Head $(1/4-20 \times 3/4")$
1	802-0022	1	*Screw, Cap - Hex Socket	. 9	850-0040	2	*Washer, Lock (1/4")
		<u> </u>	$(#10-24 \times 1-1/2")$	10	160-1183	1	*Point Set, Breaker
2	509-0065	1	*Retainer ("O" Ring)	11	160-1219	1	*Base, Breaker
3	526-0008	1	*Washer, Flat (#10 Screw)	12	160-1150	1	*Gasket, Breaker Box
4	160-1285	1	*Cover, Breaker Box	14	336-2378	1	Lead, Breaker Box to Coil
5	815-0358	1	*Screw, Cap - Slotted (#8-32 x 5/16")	- '	160-1311	1	Tune Up Kit (Includes Points and Condenser)
7	312-0246	1	*Condenser		7		

<sup>\* -</sup> Parts Included in 160-1303 Breaker Box.

### Starter Motor




REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USEC	PART DESCRIPTION
1	191-1171	1	Starting Motor, Complete	18	#	1	+Brush Holder
2	815-0570	2	Screw, Čap – Hex Washer Head	19	#	1	+Screw and Lock Washer
			$(5/16-18 \times 1")$	20	#	2	*+Brush, Ground
5	307-1031	1	Solenoid, Start - Relay	21	#	1	*+Stud and Brush Assembly, Input
6	#	1	xCover, Dust	22	#	1	+Bushing, Insulation
7	#	1	xNut, Stop	23	#	1	Washer, Insulation
8	# 7	1	xWasher, Flat	24	#	1	+Washer, Flat
9	· #	1	xSpring, Anti-Drift	25	#	1	+Washer, Lock
10	#	1	xSpacer, Dust Cover	26	#	1	+Nut
11	191-1156	1	Drive Assembly	27	191-1040	1	Cap Assembly, Commutator
12	191-1220	2	Screw, Cap - Hex Head				(Includes Parts Marked +)
13	850~0040	2	Washer, Lock - Spring (1/4")	28	#	1	Housing
14	191-1219	1	Cap Assembly, Drive End		191-1222	1	Repair Package (Includes
15	191-1038	1	Washer, Armature Thrust				Parts Marked *)
16	191-1221	1	Armature	29	191-1359	1	Dust Cover Assembly (Includes
17	#	4	*+Spring				Parts Marked x)

<sup>+ -</sup> Parts Included in 191-1040 Cap Assembly.
\* - Parts Included in 191-1222 Repair Package.
# - Not Sold Separately.
x - Parts Included in 191-1359 Dust Cover Assembly.

#### OPTIONAL EQUIPMENT SECTION


This section contains illustrated parts listing of factory installed options for these industrial engines. Options may not be applicable to all models; for field conversions additional parts are usually required. Optional parts listed in this section are in addition or in place of those shown in the standard engine parts section.

Option 1 Flywheel Alternator - 20 Ampere (Phelon)




REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
1	191-1276	1	Stator (Includes Terminals	6	191-1748	1	Regulator, Voltage
			and Connector Bodies)	7	821-0007	1	Screw, Cap - Hex Washer Head
2	332-2423	2	Terminal, Stator Leads			_	(1/4-20 × 1/4")
3	323-1257	2	Kit, Body Terminal Connector	8	167-0188	1	Clip, Cable
5	815-0470	3	Screw, Machine - Hex Head -	-	332-2319	1	Clamp, Wire - Alternator Leads

Option 2 Flywheel Alternator - 15 Ampere (Phelon)



REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
1	191-1256	1	Stator (Includes Terminals and Connector Bodies)	10 11	167-0188 323-0853	1	Clip, Cable Body, Terminal Connector
2	332-2423	3	Terminal Stator Leads	12	323-1085	1	Body, Terminal Connector
3	323-1257	2	Kit, Body Terminal Connector	13	323-0892	1 .	Body, Terminal Connector
5	815-0593	3	Screw, Machine - Hex Head - Self-Lock (#10-32 x 1-3/8")		323-0890 332-2319	1 1	Body, Terminal Connector Clamp, Wire - Alternator
.6	191-1206	1	Regulator, Voltage				Leads
7	821-0007	1	Screw, Cap - Hex Washer Head $(1/4-20 \times 1/4")$	-			


# Option 3 Governor Control - Variable Speed (Side Pull)



274


REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION		
.1	150-1214 153-0514	1	Spring, Governor Clamp, Cable	9	526-0021	2	Washer, Flat (17/64" ID × 3/4" OD × 1/16")		
- 3	150-1725	1	Bracket, Cable	10	150-1269	1	Bushing, Control Arm		
4	815-0359	ī	Screw, Tapping - Hex Head (#10-32 x 7/8")	11	518-0406	1	Clip, Retaining - Control Rod to Governor Shaft		
5	815-0510	1	Screw, Tapping - Hex Head (#6-32 x 5/8")	12	518-0004	1	Clip, Retaining - Control Rod to Carburetor		
6	150~1398 `	1	Spring, Idle Setting	13	150-1924	1	Rod, Governor Control		
7	100 1000	-	Arm, Governor Control	14	516-0059	1	Pin, Cotter		
,	150-1345	1	Use With Swivel	15	526-0006	1	Washer, Flat (#12 Screw)		
8	150-1576 815-0436	1	Use Without Swivel Screw, Cap - Hex Washer Head	16	815-0104	1	Screw, Machine - Fillister Head (#8-32 x 5/16")		
0	010-0430	2	$(1/4-20 \times 1/2")$	. 17	152-0155	1	Swivel, Cable Holding		

# Option 4 Governor Control - Variable Speed (Front Pull)



REF NO.	PART NO.	QTY	PART DESCRIPTION	REF NO:		QTY USED	PART DESCRIPTION
1	150-1810	1	Bracket, Governor Control	9.	526-0021	1	Washer, Flat (1/4" Screw)
$\tilde{2}$	150-1366	1.	Link, Governor Control	10	150-1269	1	Bushing, Governor Control
3	815-0439	3	Screw, Cap - Hex Head Locking	11	850-0040	1	Washer, Lock - Spring (1/4")
•	010 0.00	. 7	$(#8 \times 1/2")$	12	815-0104	1	Screw, Machine - Fillister
4	150-1369	1	Spring, Governor		Ē		Head (#8-32 × 5/16")
5	862-0001	1	Nut, Hex (1/4-20)	13	152-0155	1	Swivel, Cable - Throttle
-6	150-1367	ī	Adapter, Governor Arm	14	526-0006	1	Washer, Flat (#12 Screw)
7	815-0181	2	Screw, Cap - Hex Head W/ET	15	516-0059	1	Pin, Cotter
	010 0101	-	(#10-32 × 1/2")	16	518-0176	1	Clip, Cable - Throttle
8	800-0004	1 .	Screw, Cap - Hex Head (1/4-20 x 5/8")				


Option 5
Fuel System



REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
1	142-0661	. 1	Carburetor Assembly - Gasoline	6	503-0664	1	Hose, Fuel $(1/4" \text{ ID} \times 11" \text{ Lg})$
			(See Separate Page for Components) (Includes	7	149-2187-01	1	Pump, Fuel (Includes Parts Marked *)
- 2			Mounting Gasket) (Includes Parts Marked +)	8	815-0555	2	Screw, Tapping - Pan Head (10-24 x 5/8")
2	145-0438	1	Gasket, Carburetor Mounting	9	149-1321	1	+Cap, Fuel Outlet
3	850-0040	2	Washer, Lock - Spring (1/4")	10	149-1299	1	Tube, Vacuum Port
4	800-0023	2	Screw, Cap - Hex Head	11	503-0663	1	Line, Impulse
			$(1/4-20 \times 1-3/8")$	12	503-0731	1	Clamp, Wire (1/2")
5	503-0731	3	+Clamp, Hose (7/16")				

<sup>+ -</sup> Parts Included in 142-0661 Carburetor Assembly Kit.

Option 6 Carburetor Components (Without Integral Fuel Pump)




#### Option 6 Carburetor Components (Without Integral Fuel Pump)

REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
	142-0661	· 1	Carburetor, Gasoline (Includes	10	142-0539	4	Screw, Upper to Lower Body
			Mounting Gasket)	11	142-0539	2	Screw, Inlet Plate
	142-0592	1	Repair Kit (Includes Parts	12	142-0559	1	*Gasket, Inlet Plate
			Marked †)	13	142-0553	1	†Valve Assembly, Float
	142-0591	1	Gasket Kit (Includes Parts	14	142-0572	1	*Gasket, Carburetor Body
			Marked *)	15	149-1983	1	Plate, Inlet (Includes Cap
1		1	Body, Lower (Not Sold				and Clamp)
-		_	Separately)	16	142-0544	1	Spring, Throttle Stop
2		1	Body, Upper (Not Sold	17	142-0282	1	†Spring, Idle Needle
_			Separately)	18	142-0550	1	*O-Ring, Packing - Power Needle
3	142-0534	1	†Shaft, Throttle	19	142-0546	1 :	Fly, Choke
4	142-0535	1	*O-Ring, Packing - Throttle	20	146-0380	. 1	Float Assembly
			Shaft	21	142-0548	1	†Shaft, Float
5	142-0536	1	Shaft, Choke	22	142-0016	1	tNeedle, Idle
6	142-0554	1	Clip, Retaining - Float Valve	23	142-0549	1	Needle Assembly, Power
7	142-0538	ī	Fly, Throttle	24	142-0523	1	*Gasket, Float Valve Seat
8	142-0064	1	Screw, Throttle Stop	25	146-0379	1	Spring, Float Assist
9	142-0334	4	tScrew, Fly to Shaft				•

<sup>† -</sup> Parts Included in 142-0592 Repair Kit. \* - Parts Included in 142-0591 Gasket Kit.


# Option 7 Fuel Pump



REF PART QTY PART REF PART QTY PART NO. NO. USED DESCRIPTION

1 149-2187-01 1 Pump, Fuel - Vacuum, Pulse


# Option 8 Carburetor Components (Adjustable Main Jet) (Fixed Main Jet)



055	PART	OTY	PART	REF	PART	QTY	PART
REF NO.	NO.	ÜSED	DESCRIPTION	NO.	NO.	ÜSED	DESCRIPTION
			Carburetor, Complete	10	146-0289	1	Valve and Seat Package
			(Includes Mounting Gasket)	11	146-0209	1	Idle Needle Package
	146-0309	1	Adjustable Main Jet	12	146-0208	- 1	Spring Buoyancy
	146-0344	ĩ	Fixed Main Jet	13		1	Body (Not Sold Separately)
1	146-0260	1	Choke Shaft Package	14			Jet, Power
2	146-0142	4	Screw, Valve Mounting	٠.	146-0238	1	Adjustable (Use on
3		1	Intake, Air (Not Sold				Carburetor 146-0309)
•		_	Separately)		146-0316	1	Fixed (Use on Carburetor
4	146-0247	4	Screw, Body to Intake				146-0344)
5	146-0220	1	Gasket Kit	15	146-0214	1	Power Needle Package
6	110 0220	_	Shaft, Throttle (Package)	16	154-0733	1	Gasket, Carburetor Mounting
·	146-0267	1	Use on Carburetor 146-0309	17	154-1977	1	Adapter, Carburetor - Use on
	146-0259	1	Use on Carburetor 146-0344				Carburetor 146-0344
7	146-0222	$-\bar{1}$	Screw, Lever Pin	18	146-0278	1	Screw, Plug - Fixed Main Jet
8	146-0262	1	Float Package	19	146-0228	1	Kit, Repair
9	146-0261	$\bar{1}$	Idle Speed Adjusting Screw				-
			Package	21			

31


Option 8A Carburetor Components (Nikki) Fixed Main Jet



REF NO.	PART NO.	QTY USED	PART DESCRIPTION	RE NO		QTY USED	PART DESCRIPTION
		"	Carburetor, Complete (Includes Mounting Gasket)	4	146-032	7 1	Kit, Variable Jet - Optional (High Altitude Application)
	146-0428	1 .	With Semi-Automatic Choke	. 5	146-0432	2, 1	Kit, Repair (Includes Parts
. 1	146-0438	1	+Kit, Gasket				Marked +)
2	146-0437	1	Kit, Float	6	146-0396	6 1	Jet, Power
3.	154-0733	2	+Gasket, Carburetor Mounting	7	146-0429	5 1	Jet, Idle


<sup>+ -</sup> Parts Included in 146-0432 Repair Kit.

Option 9
Fuel Tank (Side Mounted)




REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
	159-0597	1	Kit, Fuel Tank - Complete	7	504-0013	1	Valve, Shut-off
1	159-0981	1	Tank, Fuel (Less Cap)	8	505-0057	1	Plug, Tank Drain
2	159-0596	2	Strap, Fuel Tank	9	502-0020	1	Elbow, Carburetor Inlet
3	159-0595	2	Bracket, Fuel Tank	10	813-0108	2	Screw, Machine - Round Head
4	134-0599	1	Clip, Fuel Line				(#10-32 × 1-1/2")
5	501-0008	1	Line, Fuel	11	870-0053	2	Nut, Hex (#10-32)
6	159-0020	1	Cap. Fuel Tank				(, _ , , , , , , , , , , , , , , , , , ,

### Option 10 Control (Engine)




REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
		0020		,,,,,,		7725	
1	152-0198	1	Lever, Throttle Control	15	332-0942	1	Tie, Cable
2	526-0015	2	Washer, Flat (1/4" Screw)	16	870-0131	2	Nut, Hex (10-32)
3	152-0041	2	Washer, Tension - Cup	17	815-0199	2	Screw, Machine - Fillister
4	800-0005	1	Screw, Cap - Hex Head				Head $(10-32 \times 5/16")$
			$(1/4-20 \times 3/4")$	18	153-0097	1	Cable, Choke
5	870-0065	1	Nut, Lock - Hex (1/4-20)	19	501-0004	1	Line, Oil - Flexible
6	301-4041	- 1	Panel, Control	. 20	502-0020	1	Elbow, Street (90°)
7	821-0009	2	Screw, Lock - Hex	21	150-1544	1	Adapter, Governor Arm
			$(1/4-20 \times 5/16")$	22	815-0194	2	Screw, Tapping $(10-32 \times 3/8")$
8	308-0385	1	Switch and Key, Ignition	23	150-0098	1 : .	Spring, Governor
9	302-0060	1	Ammeter, DC (20-0-20)	24	150-0096	1	Stud, Speed Adjusting
10	193-0005	1	Gauge, Oil Pressure	25	150-0621	1	Nut, Special - Speed
11	502-0017	1 .	Connector, Inverted Female				Adjusting Stud
12		1	Lead, Electrical - #16 Wire,	26	308-0490	1	Key, Ignition Switch
			26" Lg.	27	332-0325	1	Terminal, Ring
13		1	Lead, Electrical - Switch to	-28	332-1408	1	Terminal, Faston
			Coil - #16 Wire, 13" Lg.	29	332-1993	1	Terminal, Receptable
14	_ , -	1	Lead, Electrical - Switch to	30	526-0016	1	Washer, Flat (1/4" Screw)
			Ammeter - #16 Wine 7" da				

### Option 10A Control (Engine)



REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
1	301-5065	-1	Panel, Control	14	815-0199	2	Screw, Machine - Fillister
2	153-0097	1	Cable, Choke		-		Head (#10-32 × 5/16")
3	193-0005	1	Gauge, Oil Pressure	15	870-0131	2	Nut, Hex with ET (#10-32)
4	302-0060	1	Ammeter (20-0-20)	16	150-1749	. 1	Extension, Governor Arm
5	308-0385	1	Switch, Ignition	17	815-0181	1.	Screw, Tapping - Hex Head
6	152-0224	1	Lever, Throttle Control			the second second	with ET (#10-32 x 1/2")
7	338-1219	1	Harness, Wiring	18	150-1214	1	Spring, Governor
8	502-0051	. 1	Coupling, Female	19	152-0177	1	Stud, Speed Adjusting
9	800-0005	1	Screw, Cap - Hex Head	20	150-0621	1	Nut, Speed Adjusting Stud
			$(1/4-20 \times 3/4")$	21	502-0005	1	Elbow, Inverted - Female (90°)
10	526-0016	1	Washer, Flat (1/4" Screw)	22	517-0009	AR	Plug, Dot Button
11	152-0041	1	Washer, Tension - Cup	23	308-0490	1	Key, Ignition Switch
12	526-0015	2	Washer, Flat (1/4" Screw)	24	501-0009	1	Line, Oil - Flexible (36" Lg)
13	870-0065	1	Nut, Hex - Self Locking	25	502-0065	1	Elbow, Inverted - Male (45°)

#### Option 11 Oil Filter (Remote)




REF NO.	PART NO.		)TY JSED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
. 1	122-0369		1	+Adapter, Remote Oil Filter	8	526-0066	1	+Washer, Flat - Copper
2	505-0791		1	Nipple, Pipe $(1/4 \times 7")$				(3/8" Screw)
3	505-0776		1	Nipple, Pipe $(1/4 \times 6)$	9	120-0140	1	+Spring, By-Pass Valve
4	122-0375		1	Gasket, Adapter	10	120-0398	1	+Valve, By-Pass
5	526-0065	. *	2.	Washer, Flat - Copper	1.2	505-0057	1	+Plug, Pipe - Square Head
_				(5/16" Screw)	13	508-0184	1	Grommet, Air Seal
6		, .		Screw, Cap - Hex Head	- 14	122-0473	- 1	Adapter Assembly, Remote Oil
	800-0031		2	Prior to 6/86 (5/16-18 x 1-1/2")				<pre>filter (Includes Parts Marked +)</pre>
	800-0030		2	Begin 6/86 (5/16-18 x 1-1/4")	15	122-0476	1	Base Assembly, Remote Oil Filter
7	801-0047		1	+Screw, Cap - Hex Head				

+ - Parts Included in 122-0473 Adapter Assembly.


NOTE: Hoses vary with each installation.
Purchase locally, hoses with a minimum pressure rating of 150 PSI (1035 kPa).

#### Option 12 Starter Motor Components - Solenoid Shift




REF	PART	QTY	PART	REF	PART	QTY	PART
NO.	NO.	USED	DESCRIPTION	NO.	NO.	USED	DESCRIPTION
	191-0915	1	Motor, Starting	11	191-0975.	1	Washer Set
1	191-0965	1	Lever Assembly	12	191-0976	1 ,	Yoke Assembly (Includes Brush and Screws)
2	191-0966	1	Spring Set Switch Assembly	13	191-0977	4	Screw, Flat Head Machine
3 . 4	191-0967 191-0968	2	Spring, Bush		191-0978	ì	Brush (+)
5	191-0969	2	Bolt, Through	15	191-0979	1	Rear Bracket Assembly
6	191-0970	1	Bracket Assembly, Front				(Includes Bearing and Brush)
			(Includes Bearing)	16	191-0980	1	Bearing, Rear
7	191-0971	1	Bearing Front	17	191-0981	1	Brush (-)
8	191-0972	1	Stopper Set, Pinion	18	191-0982	. 1	Screw Set
9	191-0973	1	Clutch Assembly	19	191-1076	1	Seal, Starter Air
10	191-0974	1	Armature	20	307-0845	1	Relay, Start Solenoid

Option 12A Start Motor Components (Heavy Duty)




REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USE	
1	191-0933	1	Motor, Starter (Complete)	20	≅ <b>§</b>	2	†*Brush, Ground
2	815-0570	2	Screw, Cap - Hex Washer Head	21	Ö	- 1	†*Stud and Brush Assembly, Input
		7 7	(5/16-18 × 1")	22	· §	1	†Brushing, Insulation - Input
5	307-1031	1	Relay, Start Solenoid	-			Stud
6	§	1	xCover, Dust	23	·§	. 1	†Washer, Insulation - Input
7 8	§ .	1	xNut, Stop				Stud
8	Š	. 1	xWasher, Stop Nut	. 24 -	· §	1	†Washer, Flat – Input Stud
9	Š	1	xSpring, Anti-drift	25	· §	1	†Washer, Lock – Input Stud
10	§ ·	1	xSpacer, Dust Cover	26	∕§	1	†Nut, Securing - Input Stud
11	191-1036	1	Drive Assembly	.27	191-1040	1	Cap Assembly, Commutator
12	191-1048	2	Screw, Hex Cap - Special		_		(Includes Parts Marked †)
13	850-0040	.2	Washer, Lock (1/4")	28	§	1	Housing, Starter Motor
14	191-1037	1	Cap Assembly, Drive End		191-1041	1	Répair Kit, Brush, Spring and
15	191-1038	1	Washer, Armature Thrust - Special				Stud (Includes Parts Marked *)
16	191-1039	1	Armature	29	191-1359	1	Dust Cover Assembly (Includes
17	\$	4 -	t*Spring, Brush				Parts Marked $x$ )
18	Š	1	tBrush Holder				
19	96	2	tScrew and Lockwasher				
	J			† -	Included	in the	191-1040 Cap Assembly.
				* _	Included Kit	in the	191-1041 Brush, Spring and Stud
				6 -	Not Sold	Separat	elv.
							1359 Dust Cover Assembly.

Option 13
Recoil Starter Components



REF NO.	PART NO	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PAR DESCRIP	
	192-0392	1	Starter, Recoil - Complete	7	192-0416	1	Shoe Assembly,	Friction
1	192-0422	1	Cover, Starter	8	192-0415	1	Spring, Brake	
2	192-0421	1	Spring, Rewind	9	526-0142	1	Washer, Flat	
3	192-0420	ī	Shield Spring	10	518-0205	1	Ring, Snap	
4	192-0419	ī	Rotor	11	192-0412	1	Cord, Pull	*1
5	192-0418	2	Washer, Steel	12	192-0411	1	Handle, Pull	
6	192-0417	2	Washer, Fibre	13	192-0410	1	Insert, Handle	


# Option 14 Fuel Pump (Electric)



REF PART QTY PART NO. NO. USED DESCRIPTION


149-1828 1 Pump, Fuel

#### Option 15 Oil Filter (Spin-On)



REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
1	122-0320	1	Adapter, Oil Filter	. 5 .	122-0645	1	Filter, Oil
2	526-0065	2	Washer, Flat - Copper	6	122-0347	1	Seal, Air - Filter to Housing
	and the second		(5/16" Screw)	7	122-0360	1	Drain, Oil Filter
3	800-0028	2	Screw, Cap - Hex Head (5/16-18 x 1")	8	815-0194	2	Screw, Cap - Hex Head w/ET (#10-32 x 3/8")
4	505-0057	1	Plug, Pipe (1/8")	9	122-0321	· 1	Gasket, Oil Filter Adapter


#### Option 16 Ignition Breaker Box (Side Adjustable)



REF NO.	PART NO.	QTY USED	PART DESCRIPTION		REF NO.	PART NO.	QTY USED	PART DESCRIPTION
	160-1158	1	Box Assembly, Breaker		8.	312-0069	1	*Condenser, Ignition
	100 1100	-	(Includes Parts Marked *)		9	870-0221	1	*Nut, Hex with External Tooth
1	815-0358	2	*Screw, Tapping - Hex Head,	-				Lockwasher (#8-32)
~			Slotted (#8-32 x 5/16")		10	815-0405	1	*Screw, Machine - Pan Head,
2	160-1149	1	*Cover, Breaker Box					Cross-Recessed (#8-32 $\times$ 1/2")
$\tilde{3}$	160-1148	ī	*Gasket, Cover	**	- 11	160-1154	1	*Point Set, Breaker
4	802-0034	2	*Screw, Cap - Socket Head		12	160-1150	1	*Gasket
		_	$(1/4-20 \times 3/4")$		13	160-1151	1	Plunger, Breaker Points
5 .	850-0038	2	*Washer, Lock - Spring (1/4	")	14	336-2378	. 1	Lead, Breaker Box to Coil
	815-0403	ī	*Screw, Tapping - Pan Head (#8-32 x 5/16")	•		160-1161	1	Tune-Up Kit (Includes Points and Condenser)
7	850-0025	· 1	*Washer Lock - Spring (#8)					


<sup>\* -</sup> Parts Included in 160-1158 Breaker Box Assembly.

#### Option 17 Support and Terminal Block Assembly




REF NO.	PART NO.	QTY USED	PART DESCRIPTION	. "-	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
1			Support, Air Cleaner		4	853-0005	2	Washer, Lock - ET (#8)
	140-1644	1	Units with Air Cleaner		5	332-0537	. 1	Block Terminal (4 Place)
			Housing		6	332-2208	1	Strip, Marker
	301-5936	1 .	Units without Air Cleaner		7		•	Lead Assembly
		_	Housing			336-4385	1	Alternator (Use Bulk #16
2	812-0081	2	Screw, Machine - Round Head					Wire)
-		_	(#8-32 × 5/8")			334-0028	1	Ignition
3	860-0008	2	Nut, Hex (#8-32)			-		

#### Option 18 Ignition (Magneto)



	•						
REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
	160-1306	1	Stator Assembly (Includes Parts Marked *)	5	160-0749 167-0188	1 4	*Pole Shoe, Stator - Magneto Clip, Spark Plug Cable
1	167-1595	2	Cable, Spark Plúg R.H.	7	815-0259	2	Screw, Hex Cap
2	167-0298	2	Spark Plug	. 8	508-0095	2	Grommet, Rubber
3 <b>4</b>	160-1305	. 1	*Coil, Magneto Stator Washer, Flat - Stator	9	336-8466	1	Lead, Magneto to Ignition Breaker
	526-0015	2	1/4" Screw				
	526-0184	2	17/64 ID × 5/8 0D × .1345" Thk)	*: =	Parts Incl	luded in	the 160-1306 Stator Assembly.


Option 19 Remote Air Cleaner Adapter



REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
	140-1915	1	Kit, Remote Air Cleaner	·-· 6	140-1714	1	*Adapter, Carburetor Air Intake
			Adapter (Includes Parts	7	813-0106	3	*Screw, Machine - Round Head
-			Marked *)				$(#10-32 \times 1-1/8")$
1	509-0145	1	Seal, O-Ring	8	140-1428	1	*Elbow, Air Intake
2	850-0030	3	*Washer, Lock - Spring (#10)	9	503-0274	1	*Clamp, Hose - Air Intake
3	123-1417	1	*Filter, Breather Tube	10	503-0171	1	*Clamp, Hose
4	123-1539	1	*Tube, Crankcase Breather	11	517-0151	· 1	*Plug, Dot Button - Blower
5	503-0107	. 1	Clamp, Breather Tube				Housing Air Hole

<sup>\* -</sup> Parts Included in 140-1915 Remote Air Cleaner Adapter Kit.


#### Option 20 Clutch



REF NO.	PART NO	QTY USED	PART DESCRIPTION	REF NO		QTY USED	PART DESCRIPTION
	190-0289	1	Kit, Clutch Assembly (Includes	5	850-0050	1	Washer, Lock - Spring (3/8") *Clutch Assembly
			All Parts Except Crankshaft)	6	190-0288	1	
1	520-0739	3 .	Stud $(3/8-24 \times 3/8-16 \times 3")$	7	104-0091	3	Nut, Hex - Special
2	800-0075	. 3	Screw, Cap - Hex Head	8	850-0050	3	Washer, Lock - Spring (3/8")
-		_	$(7/16-14 \times 2")$	9	190-0171	1	Adapter, Clutch
3	850-0055	3	Washer, Lock - Spring (7/16")	10	515-0041	1	Key, Drive - Special
4	104-0091	1	Nut, Hex - Special	11	520-0738	1	Stud $(3/8-24 \times 3/8-16 \times 4")$

For Components, check nameplate and contact nearest Rockford Clutch Dealer.


#### Option 21 Choke Control (Front Pull)



FS-1131R


REF NO.	PART NO.	QTY USED	PART DESCRIPTION	REF NO.	PART NO.	QTY USED	PART DESCRIPTION
1	526-0140	1	Washer, Flat (#10 Screw)	8	152-0155	1.	Swivel, Choke Lever
2	153-0523	1	Lever, Choke	9	815-0693	-1	Screw, Machine - Hex Head
3	153-0500	1	Link, Choke		i		(#8-32 × .31")
4	153-0524	1	Bracket, Choke Cable	10	516~0059	1	Pin, Cotter
5	821-0002	. 1	Screw, Cap - Hex Washer Head (#10-32 x 1/4")	11	815-0359	1	Screw, Tapping - Slotted Hex Washer Head (#10-32 x 7/8")
6	815-0480	1		12	153-0514	1	Clip, Choke Cable
7	854-0010	1	Washer, Lock - IT (#10)				• •

## Miscellaneous Options



REF NO	PART NO	QTY USED	PART DESCRIPTION	REF NO	PART NO.	QTY USED	PART DESCRIPTION
. 1	134-3213	1	Guard, Flywheel - Stationary	11			Guard, Flywheel - Stationary
2	815-0378	4	Screw, Tapping - Hex Head		•		(Wire Type)
			$(#14 \times 1/2")$		134-3527	1	Use without PTO
3	140-1218	1	Wrapper, Filter Element - Dry		134-4134	1	Use with PTO
			Type	12		1.	Lead Assembly, Low Oil
4			Switch, Low Oil Pressure				Pressure Switch - #16 Wire,
	309-0237	1	Close at 8-10 PSI at				12" Lg (2)
	000 0201	-	Lowering Pressure	13	502-0053	1	Elbow, Street - 45°
	309-0510	1	Open at 4.5-7.5 PSI on Increasing Pressure	14	140-1169	1	Tube, Air Intake with Debris Lip
5	193-0108	1	Sender, Electric Oil Pressure Gauge	15	140-1747	1	Cover, Air Cleaner - Moisture Proof
6	403-1021	2	Bracket, Lifting	16	140-1750	1	Knob, Air Cleaner - Moisture
7	122-0406	1	Filter, Oil (With Hex Nut)				Proof
8	332-0152	1	Terminal, Ring	17	332-1408	1:	Terminal, Receptable
9	502-0175	1	Adapter, Pipe	18	332-1279	1	Terminal, Spade
10	502-0020	2	Elbow, Street - 90°	19	159-1150	1	Tank, Fuel - Plastic (3.5 Gallon Capacity)

## Miscellaneous Exhaust Options



	· ·					牙匙 製工 九年 二十二		· ·
REF NO.	PART NO.	:	QTY USED	PART DESCRIPTION	REF NO	PART NO.	QTY USED	PART DESCRIPTION
1	155-1570		2	Muffler, Exhaust	q			Pipe, Exhaust (90°)
2	155-1692		1	Muffler, Exhaust	v	155-1703	1	Left
4	154-1958		2	Adapter, Exhaust (Flange		155-1704	$, \dots, \bar{I}_1 \cdots$	Right
			_	Type)	10	155-1848	1	Muffler, Crossover
5	154-1725		2	Gasket, Exhaust Adapter	11	1	!	Nipple, Half - Exhaust
6		- 7		Muffler, Exhaust - Raygun	1	505-0775	2	1" × 1-13/16"
•	155-1697		2	With Spark Arrestor		505-0755	2	1" × 3"
	155-1693	:	2	Without Spark Arrestor	12	155-1722	1	Muffler - RH
7				Clamp, Muffler	13	155-1723	1	Muffler - LH
	155-1256		2	1-1/4"	14	154-2128	1	Adapter, Exhaust - Right
	155-1257		2	1-3/8"				(1-1/4" OD Outlet)
8				Manifold, Exhaust - Crossover	15	154-2129	1	Adapter, Exhaust - Left
	154-1986		1	Left Rear Outlet				(1-1/4" OD Outlet)
	154-1669	. :	1	Left Front Outlet	17	800-0026	4	Screw, Cap - Hex Head
	154-1986		1	Right Front Outlet				$(5/16-18" \times 3/4")$
	154-1669	1	1	Right Rear Outlet	18	850-0045	. 4	Washer, Lock - Spring (5/16")

## Numerical Index

Part No. Page	Part No.	Page	Part No.	Page	Part No.	Page
332-2748 24	503-1133	17	526-0017	9.	802-1038	39
336-2378 22	503-1190	17	526-0018	5	803-0071	<b>5</b>
336-2 <b>378</b> 23	503-1252	15	526-0018	- 15	812-0061	27
336-9679 17	503-1336	15	526-0018	17	812-0061	41
337-2229 28	503-1337	15	526-0018	28	812-0062	41
337-2311 11	503-1345	15	526-0018	33	815-0046	1.3
337-2311 31	503-1351	15	526-0018	39	815-0176	17
338-1080 42	503-1365	1.7	526-0030	36	815-0181	39
338-1081 42	504-0150	11	526-0063	. 7	815-0194	12
338-1082 42	505-0110	11	526-0065	12	815-0194	28
338-1931 41	505-0266	11	526-0065	13	815-0194	39
338-1932 41	505-0274	17	526-0066	- 5	815-0194	41
338-2031 41	508-0008	36	526-0066	7	815-0235	28
357-0030 41	508-0071	36	526-0122	5	815-0261	15
359-0034 42	508-0251	. 41	526-0130	35	815-0261	17
370-4027 33	508-0253	39≔	526-0240	1.1	815-0261	22
402-0549 11	508-0253	41 .	526-0324	11	815-0261	27
402-0597 11	509-0008	13 :	526-0325	. 11	815-0261	; 31 ±
403-1523 5	509-0040	13	526-1518	36	815-0261	33
403-1523 31	509-0041	4 4 <b>5</b>	800-0002	36	815-0261	41
403-2218 11	509-0096	11	800-0004	35	815-0290	28
403-2280 11	509-0168	5	800-0005	33.	815-0337	28
403-2280 36	509-0196	28	800-0007	7	815-0337	,39
405-3332 36	509-0210	. 5	800-0007	33	815-0340	27
405-3333 36	510-0013	13	800-0010	5 -	815-0358	23
405-3334 36	510-0014	13	800-0017	1.5	815-0359	39
405-3335 36	510-0015	8	800-0017	17	815-0359	41
405-3405 36	510-0099	39	800-0026	33	815-0370	17
405-3453 36	515-0001	8	800-0026	35	815-0370	22
405-3611 36	515-0001	9.,	800-0028	12	815-0370	27
405-3612 36	515-0227	9	800-0030	33	815-0385	42
406-0566 36	516-0072	-5 <sup>-</sup>	800-0033	15	815-0387	. 41
406-0567 36	516-0130	13	800-0033	17	815-0388	4.1
406-0568 36	516-0141	5	800-0036	33	815-0436	39
501-0497 17	517-0048	. 5	800-0046	5	815-0499	33
502-0002 15	517-0067	· 7	800-0048	31	815-0531	17
502-0054 17	517-0129	31	800-0051	39	815-0550	- 41
502-0313 15	517-0223	15	800-0052	24	815-0570	25
502-0871 15	518-0006	21	800-0052	39	815-0583	27
502-0923 17	518-0014	9	800-0058	11	815-0584	39.
502-0927-01 17	518-0311	7	800-0540	5	815-0587	1.5
502-0928-01 17	518-0387	15	800-0545	13	815-0587	17 -
502-0929-01 17	518-0450	15	800-0571	5	815-0590	15
502-0932-01 17	518-0452	43	800-0572	5	815-0590	17
502-0933-01 17	518-0459	15	800-0730	33	815-0591	1.5
502-0935 17	518-0466	15	800-0730	35.	815-0591	17
502-0965-01 17	525-0305	43	801-0049	7	815-0592	15
503-0183 15	526-0002	15.	801-0050	7	815-0610	15
503-0183 17	526-0003	17	802-0034	: 22	815-0610	28
503-1133 15	526-0008	17	802-0034	23	815-0647	17

### Numerical Index

Part No.	Page	Part No.	Page	Part	No.	Page	Part	No.	Page
815-0657	11	862-0015	17						
820-1077	13	870-0131	21						
821-0005	17	870-0196	27		1	.*			
821-0009	15	870-0221	17		¥				
821-0009	31	870-0257	36						
821-0010	11	870-0302	7						
821-0010	31	870-0328	13						
821-0010	36	870-0421	15						
821-0014	11	870-0433-03	28						
821-0014	31	870-0437	36						
821-0014	36	870-1183	27		•				
821-0016	` 5	898-1193-03	28						
821-0016	11								
821-0016	31								
821-0029	11								
821-0029	33								
821-0029	35								
821-0031	11								
821-0031	36								
821-0033	36								
850-0020	41								
850-0038	22								
850-0038	23								
850-0040	7								
850-0040	17-								
850-0040	24								
850-0040	25								
850-0040	33	•							
850-0040	35								
850-0040	36								
850-0045	15								
850-0045	17	,		*					
850-0045	33			·-					
850-0045	35								
850-0050	5								
850-0050	11					to the second			
850-0050 850-0050	24 39					بمطبق			
850-0055	9					- u.			
850-2005	22								
856-0006	15								
856-0008	11								
856-0008	28								
856-0010	31								
860-0005	42								
862-0001	24								
862-0001	33								
862-0001	24								
862-0003	39								
862-0015	15								
002-0010	1.5								

2.4

## HARDWARE IDENTIFICATION

Illustrated hardware items are only for identification purposes. All hardware items listed throughout this parts catalog are steel SAE grade five (5) or lower (zinc plated with clear chromate dip) unless parts description indicates differently. All dimensions are in inches.

### **WASHER TYPES**







INTERNAL TOOTI



EXTERNAL-INTERNAL TOOTH LOCK (EIT)



COUNTERSUNK EXTERNAL TOOTH LOCK




SPRING LOCK




\*FLA


- Flat washer dimensions given are: Inside Diameter (ID), Outside Diameter (OD) and Thickness (Thk).

## **BOLT AND SCREW TYPES**



L - Measure length between these points.





## **NUT TYPES**













FULL HEXAGON

JAM HEXAGON

HEXAGON WASHER

SQUARE

WING

ACORN

